



THE CITY OF
MT. PLEASANT, MICHIGAN

Mt. Pleasant Parks & Recreation
320 W. Broadway • 48858-2447
(989) 779-5331 • (989) 773-6790 fax
www.mt-pleasant.org



PRE-BID ADDENDUM NO. 2

- Project Bid:** 2018 Island Park/Pickens Field Infield Repair & Reconditioning
- Bid Date:** Tuesday, January 9, 2018
- Time:** 1:30 p.m.
- Opening:** City of Mt. Pleasant – City Hall
320 W. Broadway Street
Mt. Pleasant, MI 48858
- Addendum Issued By:** City of Mt. Pleasant Parks Department
(989) 779-5331
- Date Issued:** January 3, 2018
- Intent:** Clarification regarding adjustments to bid specification and requirements in Addendum No. 1, point #4:
1. The total amount of infield conditioner added per field at Island Park shall be (four) 4 tons per field for a total of 12 tons. The infield conditioner shall be a 3:1 ratio of **Dura Edge Pro Slide Engineered Top Dressing to Turface Pro League Heritage Red**, whereas in Addendum No. 1, it was stated “3:1 ratio of Turface Pro League Heritage Red to Dura Edge Pro Slide Engineered Top Dressing.”

Please acknowledge receipt of this Addendum on the first page of the revised Proposal Sheet.